according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

PERMANENT MAKE-UP PIGMENTS trademark "FACE"



Version: 1.0 / EN

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

The registration number for these substances does not exist, since the annual tonnage does not require registration or

the substance and its use are exempted from registration.

Product Name Permanent pigment Raspberry

1.2 Relevant identified uses of the substance or mixture and uses advised against	
Identified uses	Application for permanent make-up
	The product should NOT be used in the eye.
	Product for professional use in accordance to the ResAP (2008) 1.
1.3 Details of the supplier	r of the safety data sheet
Company Name	LLC "FACE"
Company Address	Saint-Petersburg, Lermontovskiy 17A1H15 190121
Phone / Fax	8 800 2019 2244 , +79891220581
Email	info@face-company.com
1.4 Emergency telephone number	
±70801220581 8800201	97744

+79891220581, 880020192244

SECTION 2: Hazards identification

2.1 Classification of the substance or mixtureClassification according
to Regulation (EC) NoNot classified1272/2008-2.2 Label elements-Hazard pictograms
Signal wordNot classified as hazardous and does not require labellingSignal word
Hazard statementsN/APrecautionary statements
2.3 Other hazardsN/A

Product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.1. Composition

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

PERMANENT MAKE-UP PIGMENTS trademark "FACE"



Name/ Color	CI	CAS	EC	
Iron Oxide Red	77491	1309-37-1	215-168-2	
Yellow Iron Oxide	77492	51274-00-1	257-098-5	
Titanium Dioxide	77891	13463-67-7	236-675-5	
Red dye	73915	980-26-7	213-561-3	

Page 2 of 9

Other ingridients:

Version: 1.0 / EN

Substance name	CAS No.	EC No.	Classification	% Range
Aqua	7732-18-5	231-791-2	Not Classified	30-50%
Isopropyl alcohol (propan-2-ol)	67-63-0	200-661-7	GHS02 GHS07 Dgr Flam. Liq. 2; H225 Eye Irrit. 2; H319	5-7%
Glycerin	56-81-5	200-289-5	STOT SE 3; H336 Not Classified	5-15%
Hamamelis Viginiana Leaf Extract	84696-19-5	283-637-9	Not Classified	1-3%

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence requirce reporting in this section.

	SECTION 4: First aid measures
4.1 Description of first aid	d measures
General information	Immediate medical attention is not required. As no serious harm is to be expected regardless kind and duration of any exposition, a mild cleaning of the related area is suggested.
Inhalation	Get medical attention in case of discomfort.
Skin contact	Product is intended to be applied into the skin, generally no harm possible due to the product itself. In case the skin has to be cleaned prior to use, use mild cleaning products / water.
Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

PERMANENT MAKE-UP PIGMENTS trademark "FACE"



Version: 1.0 / EN	Page 3 of 9	Revision date: 15.01.2020
Ingestion	Get medical attention if i	er and drink afterwards plenty of
4.2 Most important symp	ptoms and effects, both acu	-
Symptoms	No known significant syr	nptoms.
Effects	No known significant eff	ects or critical hazards.
4.3 Indication of any imm	nediate medical attention ar	nd special treatment needed
Notes to physician	Treat patient symptomat	ically.

Notes to physician Specific treatments

No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing	Use fire-extinguishing media appropriate for surrounding
media	materials.
Unsuitable extinguishing	None known.
media	
5.2 Special hazards arising	from the substance or mixture
Hazardous combustion	Product is not combustible and non-flammable. In
products	combustion, packaging materials emits toxic fumes.
5.3 Advice for fire-fighters	
Special protective actions	Promptly isolate the scene by removing all persons from the
for fire-fighters	vicinity of the incident if there is a fire. No action shall be
	taken involving any personal risk or without suitable training.
Special protective	Fire-fighters should wear appropriate protective equipment
equipment for	and self-contained breathing apparatus (SCBA) with a full
fire-fighters	face-piece operated in positive pressure mode. Wear other appropriate protective equipment as conditions warrant (see Section 8).

S	ECTION 6: Accidental release measures
6.1 Personal precautions	, protective equipment and emergency procedures
For non-emergency personnel	No harm expected.
For emergency responders	No harm expected. No special precautions necessary.
6.2 Environmental preca	utions
Environmental	Not harmful to the environment. No special precautions
precautions	necessary.

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

PERMANENT MAKE-UP PIGMENTS trademark "FACE"



Version: 1.0 / EN

Page 4 of 9

Revision date: 15.01.2020

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Absorb liquid with appropriate absorbent material. Small amounts can be disposed of with the regular waste. For waste disposal see additionally section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling **Protective measures** Obtain special instructions before use. When using, do not eat, drink or smoke. Wash hands thoroughly before and after handling. Seal packaging tightly after usage. Clean already opened packages outward disinfectant and seal it again after usage. 7.2 Conditions for safe storage, including any incompatibilities Technical measures and Store indoors tightly closed away from direct sunlight in a storage conditions dry, cool and well-ventilated area, away from food and drink. Store at temperatures below 25°C and above 10°C. Protect from sunlight. Eliminate all ignition sources. **Packaging materials** Glass packaging, polymer packaging. 7.3 Specific end uses

Recommendations Read and follow label instructions.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Exposure limit values

Substance name	CAS No.	EC No.	Exposure Limits
Isopropyl alcohol (propan-2-ol)	67-63-0	200-661-7	ACGIH: 200 ppm STEL 400 ppm

8.2. Exposure controls

Appropriate Engineering	Use adequate ventilation, or other engineering controls to
Measures	keep airborne levels below recommend exposure limits.
Individual protection	
measures, such as	
personal protective	
equipment	
Eye and face protection	Wear safety goggles if risk of an eye contact.
Skin protection	No special requirements under normal use conditions.

Version: 1.0 / EN

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

PERMANENT MAKE-UP PIGMENTS trademark "FACE"



Hand protection	Wear suitable protective gloves.
Body Protection	Wear protective apron to prevent contamination of clothing.
Respiratory protection	Use adequate ventilation.
Environmental exposure	Contain spills and prevent releases.
controls	
Hygiene measures	Do not eat, drink, and/or smoke during application. Always observe good personal hygiene measures, such as washing hands after handling.

Page 5 of 9

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	hysical and chemical properties
Physical State	Homogeneous liquid suspension
Colour	According to standard
Odour	Neutral to slightly alcoholic
рН	5,0-7,0
Melting point/Freezing	No data available
point	
Initial boiling	No data available
point/boiling range	
Flash point	No data available
Evaporation rate	No data available
Flammability Limits	No data available
Explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative Density	1100-1500 g/cm3
Solubility(ies)	Soluble in water.
Partition coefficient	No data available
Octanol/Water	
Auto-ignition	No data available
temperature	
Decomposition	No data available
temperature	
Viscosity @20±2°C	70-200
Explosive properties	Not explosive
Oxidizing Properties	Not applicable
Possibility of hazardous	Not applicable
reactions	

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

PERMANENT MAKE-UP PIGMENTS trademark "FACE"



Version: 1.0 / EN

Page 6 of 9

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Avoid exceeded temperatures.

10.5 Incompatible materials

None known.

10.6 Hazardous Decomposition products

None under normal use

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity	Oral LD 50:>2500mg/kg
Skin corrosion/irritation	Not expected to cause skin irritation or corrosion.
Serious eye damage/eye	Direct contact may irritate the eyes.
irritation	
Respiratory or skin	Not expected to cause respiratory or skin.
sensitisation	
Germ cell mutagenicity	Not expected to cause germ cell mutagenicity.
Carcinogenicity	No component of this product present at levels greater than
	or equal to 0.1% is identified as probable, possible or
	confirmed human carcinogen by IARC.
Reproductive toxicity	May cause harm to breast-fed children.
STOT - Single exposure	Not determined.
STOT - Repeat exposure	Not determined.
Aspiration hazard	Not expected to be an aspiration hazard.
spiratory or skin nsitisation rm cell mutagenicity rcinogenicity productive toxicity OT - Single exposure OT - Repeat exposure	Not expected to cause germ cell mutagenicity. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. May cause harm to breast-fed children. Not determined. Not determined.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity	No test data for the mixture as whole.					
	Substance name	CAS No.	EC No.	Toxicity to fish	Toxicity to invertebrat es	Toxicity to microorganisms
	Isopropyl alcohol (propan-2 -ol)	67- 63- 0	200- 661- 7	Golden orfe: LC50(48h) = 8970-9280 mg/L	Daphnia magna: LC50 (24 h)>	Pseudomonas putida: TGK(16 h)=1050 mg/L

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

PERMANENT MAKE-UP PIGMENTS trademark "FACE"



Version: 1.0 / EN

Page 7 of 9

Revision date: 15.01.2020

				10000 mg/L	
Glycerin	56- 81- 5	200- 289- 5	Oncorhynchus mykiss: LC50(96h) = 54,000 mg/L	Daphnia magna: LC50(48h) =1955 mg/L	Pseudomonas putida: NOEC (16 h)>10,000 mg/L

12.2 Persistence and Degradability					
Biodegradation	This product has not been tested for persistence or				
	biodegradability.				
12.3 Bioaccumulative potential					
Bioaccumulative	Bioaccumulation is unlikely to be significant due to the general				
potential	insolubility of the solid compounds. Accumulation of the water				
	soluble compounds is unlikely as well.				
Partition coefficient	Not determined.				
12.4 Mobility in soil					
Mobility	The liquid phase of the product is water soluble, the solid phase				
	of the product is insolublemand will sediment in static liquid				
	systems.				
12.5 Results of PBT and vPvB assessment					
This product does not contain any PBT or vPvB substances.					

12.6 Other adverse effects

None known.

SECTION 13: Disposal considerations		
13.1 Waste treatment methods		
Product / Packaging disposal Contaminated packaging	Not defined as hazardous waste. Dispose of residual waste in accordance with local regulations. Contaminated packaging may contain traces of the product and therefore should be disposed of in the same way as product.	

SECTION 14: Transport information

ADR/RID Not regulated IMDG/IMO Not regulated ICAO/IATA Not regulated ADN Not regulated

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

PERMANENT MAKE-UP PIGMENTS trademark "FACE"



Version: 1.0 / EN

Page 8 of 9

Revision date: 15.01.2020

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations EU Commission Regulation (EU) 2015/830 (Reach) EU Regulation (EC) No 1907/2006 (REACH) EU Regulation (EC) No 1272/2008 (CLP)

15.2 Chemical Safety Assessment

For this product a chemical safety assessment is not required.

SECTION 15: Regulatory Information

16.1 H-phrases

H225: Highly flammable liquid and vapour

H319: Causes serious eye irritation

H336: May cause drowsiness or dizziness

16.2 Abbreviations and acronyms

INCI: The International Nomenclature of Cosmetic Ingredients

CAS: Chemical Abstracts Service (division of the American Chemical Society)

EC: European Community

GHS02: GHS hazard pictogram "Flame"

GHS07: GHS hazard pictogram "Exclamation mark"

Dgr: Signal word "Danger"

Flam. Liq. 2: Flammable liquid. Category 2

Eye Irrit. 2: Eye Irritant. Category 2

STOT SE 3: Specific target organ toxicity – single exposure, hazard category 3

SCBA: Self Contained Breathing Apparatus

ACGIH: Association Advancing Occupational and Environmental Health

TWA: Time-weighted Average concentration

STEL: A short-term exposure limit

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

TGK: Toxicity Threshold Concentration

NOEC: No Observable Effect Level

bw: body weight

STOT SE: Specific target organ toxicity - single exposure

STOT RE: Specific target organ toxicity - repeated exposure

vPvB: Very persistente and very bioaccumulative

PBT: Polybutylene Terephthalate

IARC: International Agency for Research on Cancer

ADR/RID: Accord Dangereuses Route/International Carriage of Dangerous Goods by Rail

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

PERMANENT MAKE-UP PIGMENTS trademark "FACE"



Version: 1.0 / EN

Page 9 of 9

Revision date: 15.01.2020

IMDG/IMO: International Maritime Dangerous Goods/International Maritime Organisation Aviation Organization/International Air ICAO/IATA: International Civil Transport Association ADN: International Carriage of Dangerous Goods by Inland Waterways **16.6 Training advice** Don't use in the eyes Don't use beyond the expiration date Don't use after 12 months of opening and in any case beyond the expiration date. 16.7 Further information

Date of issue: 15th January 2020 Version no. 1.0

The above information is considered accurate as of the date of preparation of this material safety data Sheet and is provided on the basis of conscientiousness and according to the level of their knowledge. Since the use of this information and the terms of use of the product are not under the control of LLC "FACE", users are responsible for complying with the laws and applicable the rules of hygiene and safety.

The manufacturer of pigments for permanent makeup of the trade mark "FACE" LLC "FACE" is not responsible in case of misuse.

LLC FACE Saint-Petersburg Director Skripnichenko Ksenia Evgenievna