according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

# PERMANENT MAKE-UP PIGMENTS trademark "FACE"



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Version: 1.0 / EN

The registration number for these substances does not exist, since the annual tonnage does not require registration or

the substance and its use are exempted from registration.

Product Name Permanent pigment Granate

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Application for permanent make-up

The product should NOT be used in the eye.

Product for professional use in accordance to the ResAP (2008) 1.

1.3 Details of the supplier of the safety data sheet

Company Name LLC "FACE"

Company Address Saint-Petersburg, Lermontovskiy 17A1H15 190121

Phone / Fax 8 800 2019 2244, +79891220581

Email info@face-company.com

1.4 Emergency telephone number

+79891220581, 880020192244

| CECT                  |              | $\sim$ | 1 1    |       |         |        |
|-----------------------|--------------|--------|--------|-------|---------|--------|
| $S \vdash C \sqcup I$ | $\mathbf{C}$ | · /·   | Hazard | וכ ור | lontiti | cation |
| ンレしょ                  |              |        | Hazaic | יו כו |         | Cation |

#### 2.1 Classification of the substance or mixture

Classification according Not classified

to Regulation (EC) No

1272/2008

2.2 Label elements

Hazard pictograms Not classified as hazardous and does not require labelling

Signal word No signal word

Hazard statements N/A
Precautionary statements N/A

2.3 Other hazards

Product does not contain any PBT or vPvB substances.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Composition

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

# PERMANENT MAKE-UP PIGMENTS trademark "FACE"

Version: 1.0 / EN Page 2 of 9 Revision date: 15.01.2020

| Name/ Color       | CI    | CAS        | EC        |
|-------------------|-------|------------|-----------|
| Iron Oxide Red    | 77491 | 1309-37-1  | 215-168-2 |
| Yellow Iron Oxide | 77492 | 51274-00-1 | 257-098-5 |
| Red dye           | 73915 | 980-26-7   | 213-561-3 |
| Pigment Red 5     | 12490 | 6410-41-9  | 229-107-2 |

## Other ingridients:

|                                     |            | ==        |  | 2/ 5    |
|-------------------------------------|------------|-----------|--|---------|
| Substance name                      | CAS No.    | EC No.    | Classification   | % Range |
| Aqua                                | 7732-18-5  | 231-791-2 | Not Classified   | 30-50%  |
| Isopropyl alcohol<br>(propan-2-ol)  | 67-63-0    | 200-661-7 | GHS02<br>GHS07<br>Dgr<br>Flam. Liq. 2; H225<br>Eye Irrit. 2; H319<br>STOT SE 3; H336 | 5-7%    |
| Glycerin                            | 56-81-5    | 200-289-5 | Not Classified   | 5-15%   |
| Hamamelis Viginiana<br>Leaf Extract | 84696-19-5 | 283-637-9 | Not Classified   | 1-3%    |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

|  |  | measures |
|--|--|----------|

| 4.1 Description of first aid | 4.1 Description of first aid measures  |  |  |  |  |  |  |
|------------------------------|--|--|--|--|--|--|--|
| General information          | Immediate medical attention is not required. As no serious   |  |  |  |  |  |  |
|                              | harm is to be expected regardless kind and duration of any   |  |  |  |  |  |  |
|                              | exposition, a mild cleaning of the related area is suggested.  |  |  |  |  |  |  |
| Inhalation                   | Get medical attention in case of discomfort.   |  |  |  |  |  |  |
| Skin contact                 | Product is intended to be applied into the skin, generally no harm possible due to the product itself. In case the skin has to be cleaned prior to use, use mild cleaning products / |  |  |  |  |  |  |
|                              | water.   |  |  |  |  |  |  |
| Eye contact                  | Immediately flush eyes with plenty of water, occasionally  |  |  |  |  |  |  |

lifting the upper and lower eyelids. Check for and remove

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

# PERMANENT MAKE-UP PIGMENTS trademark "FACE"

Version: 1.0 / EN Page 3 of 9 Revision date: 15.01.2020

any contact lenses. Continue to rinse for at least 20 minutes.

Get medical attention if irritation occurs.

Ingestion Rinse mouth with water and drink afterwards plenty of

water. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No known significant symptoms.

**Effects** No known significant effects or critical hazards.

4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician** Treat patient symptomatically.

**Specific treatments** No specific treatment.

| SECTIO | )N 5: F | irefial | ntina i | measures |
|--------|---------|---------|---------|----------|
|        |         |         |         |          |

5.1 Extinguishing media

Suitable extinguishing Use fire-extinguishing media appropriate for surrounding

media materials.

Unsuitable extinguishing None known.

media

5.2 Special hazards arising from the substance or mixture

Hazardous combustion Product is not combustible and non-flammable. In combustion, packaging materials emits toxic fumes.

**5.3** Advice for fire-fighters

**Special protective actions** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode. Wear other appropriate protective equipment as conditions warrant (see

Section 8).

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency** No harm expected.

personnel

fire-fighters

**For emergency** No harm expected. No special precautions necessary.

responders

**6.2 Environmental precautions** 

**Environmental** Not harmful to the environment. No special precautions

**precautions** necessary.

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

# PERMANENT MAKE-UP PIGMENTS trademark "FACE"



Version: 1.0 / EN Page 4 of 9 Revision date: 15.01.2020

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

Absorb liquid with appropriate absorbent material. Small amounts can be disposed of with the regular waste. For waste disposal see additionally section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Protective measures Obta

Obtain special instructions before use. When using, do not eat, drink or smoke. Wash hands thoroughly before and after handling. Seal packaging tightly after usage. Clean already opened packages outward disinfectant and seal it again after usage.

## 7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Store indoors tightly closed away from direct sunlight in a dry, cool and well-ventilated area, away from food and drink. Store at temperatures below 25°C and above 10°C. Protect

Packaging materials 7.3 Specific end uses

from sunlight. Eliminate all ignition sources. Glass packaging, polymer packaging.

**Recommendations** Read and follow label instructions.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **Exposure limit values**

| Substance name                     | CAS No. | EC No.    | Exposure<br>Limits                   |
|------------------------------------|---------|-----------|--------------------------------------|
| Isopropyl alcohol<br>(propan-2-ol) | 67-63-0 | 200-661-7 | ACGIH:<br>200 ppm<br>STEL 400<br>ppm |

#### 8.2. Exposure controls

**Appropriate Engineering** 

Measures

Use adequate ventilation, or other engineering controls to keep airborne levels below recommend exposure limits.

Individual protection measures, such as personal protective equipment

Eye and face protection Skin protection

Wear safety goggles if risk of an eye contact.

No special requirements under normal use conditions.

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

# PERMANENT MAKE-UP PIGMENTS trademark "FACE"

Revision date: 15.01.2020 Version: 1.0 / EN Page 5 of 9

Hand protection Wear suitable protective gloves.

**Body Protection** Wear protective apron to prevent contamination of clothing.

Respiratory protection Use adequate ventilation.

Environmental exposure

controls

Contain spills and prevent releases.

Hygiene measures Do not eat, drink, and/or smoke during application. Always

observe good personal hygiene measures, such as washing

hands after handling.

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

**Physical State** Homogeneous liquid suspension

Colour According to standard

Odour Neutral to slightly alcoholic

5.0-7.0 Hq

Melting point/Freezing No data available

point

Initial boiling No data available

point/boiling range

No data available Flash point **Evaporation rate** No data available Flammability Limits No data available No data available **Explosive limits** Vapour pressure No data available Vapour density No data available **Relative Density** 1100-1500 g/cm3 Solubility(ies) Soluble in water. Partition coefficient No data available

Octanol/Water

**Auto-ignition** No data available

temperature

Decomposition No data available

temperature

70-200 Viscosity @20±2°C

**Explosive properties** Not explosive **Oxidizing Properties** Not applicable Possibility of hazardous Not applicable

reactions

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

# PERMANENT MAKE-UP PIGMENTS trademark "FACE"



Version: 1.0 / EN

#### 10.1. Reactivity

No specific reactivity hazards associated with this product.

#### 10.2. Chemical stability

Stable under recommended storage conditions

# 10.3. Possibility of hazardous reactions

None under normal processing.

#### 10.4 Conditions to avoid

Avoid exceeded temperatures.

## 10.5 Incompatible materials

None known.

#### 10.6 Hazardous Decomposition products

None under normal use

#### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Oral LD 50:>2500mg/kg Acute toxicity

Skin corrosion/irritation Not expected to cause skin irritation or corrosion.

**Serious** eye damage/eye Direct contact may irritate the eyes.

irritation

Respiratory **skin** Not expected to cause respiratory or skin. or

sensitisation

Germ cell mutagenicity

Carcinogenicity No component of this product present at levels greater than

or equal to 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

Not expected to cause germ cell mutagenicity.

May cause harm to breast-fed children. Reproductive toxicity

STOT - Single exposure Not determined. STOT - Repeat exposure Not determined.

Aspiration hazard Not expected to be an aspiration hazard.

# **SECTION 12: Ecological information**

#### **12.1 Toxicity**

#### Aquatic toxicity No test data for the mixture as whole.

| Substance<br>name                 | CAS<br>No.      | EC<br>No.         | Toxicity to fish                         | Toxicity to invertebrat es | Toxicity to microorganisms                    |
|-----------------------------------|-----------------|-------------------|--|----------------------------|---|
| Isopropyl<br>alcohol<br>(propan-2 | 67-<br>63-<br>0 | 200-<br>661-<br>7 | Golden orfe:<br>LC50(48h) =<br>8970-9280 |                            | Pseudomonas<br>putida: TGK(16<br>h)=1050 mg/L |
| -ol)                              |                 | ,                 | mg/L                                     | (24 h)>                    | 11, 1000 1119, 2                              |

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

# PERMANENT MAKE-UP PIGMENTS trademark "FACE"

Revision date: 15.01.2020 Version: 1.0 / EN Page 7 of 9

|          |     |      |              | 10000     |               | _ |
|----------|-----|------|--------------|-----------|---------------|---|
|          |     |      |              | mg/L      |               |   |
| Glycerin | 56- | 200- | Oncorhynchus | Daphnia   | Pseudomonas   |   |
|          | 81- | 289- | mykiss:      | magna:    | putida: NOEC  |   |
|          | 5   | 5    | LC50(96h) =  | LC50(48h) | (16 h)>10,000 |   |
|          |     |      | 54,000 mg/L  | =1955     | mg/L          |   |
|          |     |      |              | mg/L      |               |   |

#### 12.2 Persistence and Degradability

Biodegradation This product has not been tested for persistence

biodegradability.

Not determined.

#### 12.3 Bioaccumulative potential

**Bioaccumulative** Bioaccumulation is unlikely to be significant due to the general potential

insolubility of the solid compounds. Accumulation of the water

soluble compounds is unlikely as well.

Partition coefficient

12.4 Mobility in soil

**Mobility** The liquid phase of the product is water soluble, the solid phase

of the product is insolublemand will sediment in static liquid

systems.

### 12.5 Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

#### 12.6 Other adverse effects

None known.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product disposal

Packaging

Not defined as hazardous waste. Dispose of residual waste

in accordance with local regulations.

Contaminated packaging

Contaminated packaging may contain traces of the product and therefore should be disposed of in the same way as

product.

# SECTION 14: Transport information

ADR/RID Not regulated IMDG/IMO Not regulated ICAO/IATA Not regulated **ADN Not regulated** 

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

# PERMANENT MAKE-UP PIGMENTS trademark "FACE"



|   | SECTION 15: Regulatory Information |         |     |                 |                          |          |     |     |  |  |
|---|------------------------------------|---------|-----|-----------------|--------------------------|----------|-----|-----|--|--|
|   | •                                  |         | and | environmental   | regulations/legislation  | specific | for | the |  |  |
| subst                                   | tance or r                         | nixture |     |                 |                          |          |     |     |  |  |
| EU re                                   | gulation                           | s       |     | EU Commission F | Regulation (EU) 2015/830 | (Reach)  |     |     |  |  |
| EU Regulation (EC) No 1907/2006 (REACH) |                                    |         |     |                 |                          |          |     |     |  |  |
| EU Regulation (EC) No 1272/2008 (CLP)   |                                    |         |     |                 |                          |          |     |     |  |  |

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment is not required.

# **SECTION 15: Regulatory Information**

#### 16.1 H-phrases

Version: 1.0 / EN

H225: Highly flammable liquid and vapour

H319: Causes serious eye irritation

H336: May cause drowsiness or dizziness

#### 16.2 Abbreviations and acronyms

INCI: The International Nomenclature of Cosmetic Ingredients

CAS: Chemical Abstracts Service (division of the American Chemical Society)

EC: European Community

GHS02: GHS hazard pictogram "Flame"

GHS07: GHS hazard pictogram "Exclamation mark"

Dgr: Signal word "Danger"

Flam. Liq. 2: Flammable liquid. Category 2

Eye Irrit. 2: Eye Irritant. Category 2

STOT SE 3: Specific target organ toxicity – single exposure, hazard category 3

SCBA: Self Contained Breathing Apparatus

ACGIH: Association Advancing Occupational and Environmental Health

TWA: Time-weighted Average concentration

STEL: A short-term exposure limit

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

TGK: Toxicity Threshold Concentration NOEC: No Observable Effect Level

bw: body weight

STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

vPvB: Very persistente and very bioaccumulative

PBT: Polybutylene Terephthalate

IARC: International Agency for Research on Cancer

ADR/RID: Accord Dangereuses Route/International Carriage of Dangerous Goods by Rail

according to Regulation (EC) No 1907/2006 (REACH) specification 20.42.12-001-41581380-2019

# PERMANENT MAKE-UP PIGMENTS trademark "FACE"

Version: 1.0 / EN Page 9 of 9 Revision date: 15.01.2020

IMDG/IMO: International Maritime Dangerous Goods/International Maritime Organisation ICAO/IATA: International Civil Aviation Organization/International Air Transport Association

ADN: International Carriage of Dangerous Goods by Inland Waterways

#### 16.6 Training advice

Don't use in the eyes

Don't use beyond the expiration date

Don't use after 12 months of opening and in any case beyond the expiration date.

#### 16.7 Further information

Date of issue: 15th January 2020

Version no. 1.0

The above information is considered accurate as of the date of preparation of this material safety data Sheet and is provided on the basis of conscientiousness and according to the level of their knowledge. Since the use of this information and the terms of use of the product are not under the control of LLC "FACE", users are responsible for complying with the laws and applicable the rules of hygiene and safety.

The manufacturer of pigments for permanent makeup of the trade mark "FACE" LLC "FACE" is not responsible in case of misuse.

# LLC FACE Saint-Petersburg Director Skripnichenko Ksenia Evgenievna